

## Declaration of Compliance

Description	Material	Article Number
Fixpack® Trays and lids	PP	159141

Duni declares that the article meets the requirements of:

- Article 3, 11(5), 15 and 17 of Regulation (EC) No 1935/2004 (Framework regulation)
- EU Regulation 2023/2006/EC (GMP)
- EU Regulation 10/2011/EC with amendments (Plastic regulation)
- EU Regulation (EU) 2024/3190 on the use of bisphenol A (BPA) and other bisphenols

This plastic product has been manufactured only with monomers, other starting substances and additives that are authorized under Regulation (EC) 10/2011 and all amendments. A risk assessment according to Article 18 and Article 19 of Regulation (EC) No. 10/2011 has been performed for this product.

### Overall migration (1)

According to the above mentioned regulations, the overall migration does not exceed 10 mg/dm<sup>2</sup> or 60 mg/kg.

### Specific migration (2)

To our knowledge the product does not contain any monomers or additives with restrictions to regulation 10/2011/EC.

### Area of use

Based on the migration tests and Declaration of Compliance in Duni's possession, the articles can be used safely with all types of foodstuffs, serving cold and hot. The articles can be used for storage > 24 hours, hotfill<sup>1</sup> and temperatures up to 70 °C for 2 hours.

The articles can be used in the microwave.

---

<sup>1</sup> Definition from COMMISSION REGULATION (EU) 2016/1416: "hot-fill" means the filling of any article with a food with a temperature not exceeding 100 °C at the moment of filling, after which the food cools down to 50 °C or below within 60 minutes, or to 30 °C or below within 150 minutes.

**Test conditions**

Migration tests on the material of the article performed by an independent institute showed that under the following test conditions overall migration (see 1.) and specific migration (see 2.) fall below the respective limits given by regulation 10/2011.

*Overall migration OM<sup>5</sup>*

<b>Simulant</b>	<b>Contact time</b>	<b>Temperature</b>	<b>Result (mg/dm<sup>2</sup>)</b>
<i>3% Acetic acid</i>	<i>2 hours</i>	<i>100°C</i>	<i>&lt; 10</i>
<i>10 % Ethanol</i>	<i>2 hours</i>	<i>100°C</i>	<i>&lt; 10</i>
<i>20 % Ethanol</i>	<i>2 hours</i>	<i>100°C</i>	<i>&lt; 10</i>
<i>50 % Ethanol</i>	<i>2 hours</i>	<i>100°C</i>	<i>&lt; 10</i>
<i>95 % Ethanol</i>	<i>3,5 hours</i>	<i>60°C</i>	<i>&lt; 10</i>
<i>Isooctane</i>	<i>1,5 hours</i>	<i>60°C</i>	<i>&lt; 10</i>

Ratio of food contact surface area to volume of component used to establish the compliance of material is 6 dm<sup>2</sup>/kg.

The trays comply with the general restrictions of Regulation (EC) No. 10/2011 Annex 2 regarding heavy metals and PAA content.

The material does not contain one or more dual use additives (i.e. food additives or flavorings) subject to restrictions or specifications under Article 11.3 in EU Regulation 10/2011/EC (Plastic regulation).

Please be advised that Duni AB does not add anything into the product.

This document of compliance is based on:

- Documentation from suppliers
- Migration analysis

---

To the best of our knowledge, the information provided is accurate and reliable as of the date of publication and, where relevant, reflects the information received from suppliers. It is valid from the stated issue date until it is replaced or superseded.

---

<sup>2</sup> OM2 test conditions corresponds to intended food contacts conditions “High temperature applications up to 121 °C.” according to EU Regulation 10/2011/EC.