

Safety Data Sheet

acc. to The REACH etc. (Amendment etc.) (EU Exit)
Regulations 2019, SI 2019/758 (as amended)

SCREENCLEAN FLUID (250 ml)

Version number: 1.0

First version: 2023-04-12

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name	SCREENCLEAN FLUID (250 ml) Screen cleaner, pump spray
Product number	578219
CAS number	Not relevant (mixture)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	Cleaning agent
--------------------------	----------------

1.3 Details of the supplier of the safety data sheet

DURABLE Hunke & Jochheim GmbH & Co. KG Westfalenstraße 77 – 79 58636 Iserlohn Germany	Telephone: +49 (0) 2371 662 0 Telefax: +49 (0) 2371 662 221 e-mail: durable@durable.de Website: www.durable.de
e-mail (competent person) Please do not use this e-mail address to ask for the latest safety data sheet. For this purpose contact :	sdb@csb-compliance.com DURABLE Hunke & Jochheim GmbH & Co. KG Telephone: +49 (0) 2371 662 350 e-Mail: durable-clean@durable.de

1.4 Emergency telephone number

Poison centre		
Country	Name	Telephone
Germany	Giftnotruf Berlin	+49 30 19240

As above or nearest toxicological information centre.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (acc. to GB CLP)

Classification				
Section	Hazard class	Category	Hazard class and category	Hazard statement
3.4S	skin sensitisation	1	Skin Sens. 1	H317

SCREENCLEAN FLUID (250 ml)

For full text of abbreviations: see SECTION 16

2.2 Label elements

Labelling (acc. to GB CLP)

Signal word warning

Pictograms

GHS07



Hazard statements

H317 May cause an allergic skin reaction.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.
P103 Read carefully and follow all instructions.
P261 Avoid breathing mist/vapours/spray.
P272 Contaminated work clothing should not be allowed out of the workplace.
P280 Wear protective gloves.
P302+P352 IF ON SKIN: Wash with plenty of water.
P321 Specific treatment (see on this label).
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazardous ingredients for labelling 2-methylisothiazol-3(2H)-one

2.3 Other hazards

Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance in a concentration of $\geq 0,1\%$.

Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of $\geq 0,1\%$.

SECTION 3: Composition/information on ingredients



3.1 Substances

Not relevant (mixture).

3.2 Mixtures

SCREENCLEAN FLUID (250 ml)

Description of the mixture

Hazardous ingredients					
Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
(2-methoxymethylethoxy)propanol	CAS No 34590-94-8 EC No 252-104-2	5 – < 10	-	-	IOELV
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine	CAS No 2372-82-9 EC No 219-145-8	0.0015 – < 0.1	Acute Tox. 3 / H301 Skin Corr. 1B / H314 Eye Dam. 1 / H318 STOT RE 2 / H373 Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410		-
2-methylisothiazol-3(2H)-one	CAS No 2682-20-4 EC No 220-239-6 Index No 613-326-00-9	0.0015 – < 0.1	Acute Tox. 3 / H301 Acute Tox. 3 / H311 Acute Tox. 2 / H330 Skin Corr. 1B / H314 Eye Dam. 1 / H318 Skin Sens. 1A / H317 Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410		-

Notes

IOELV: Substance with a community indicative occupational exposure limit value

Name of substance	Specific Conc. Limits	M-Factors	ATE	Exposure route
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine	-	M-factor (acute) = 100 M-factor (chronic) = 1	243.6 mg/kg	oral
2-methylisothiazol-3(2H)-one	Skin Sens. 1A; H317: C ≥ 0.0015 %	M-factor (acute) = 10 M-factor (chronic) = 1	148 mg/kg 242 mg/kg 0.11 mg/l/4h	oral dermal inhalation: dust/mist

For full text of H-phrases: see SECTION 16

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes

Take off immediately all contaminated clothing.
In all cases of doubt, or when symptoms persist, seek medical advice.

Following inhalation

Provide fresh air.
In all cases of doubt, or when symptoms persist, seek medical advice.

SCREENCLEAN FLUID (250 ml)

Following skin contact

After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water.

If skin irritation or rash occurs: Get medical advice/attention.

Following eye contact

Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

Following ingestion

Rinse mouth. Do not induce vomiting.

Get medical advice/attention if you feel unwell.

Notes for the doctor

None.

4.2 Most important symptoms and effects, both acute and delayed

May cause an allergic skin reaction.

4.3 Indication of any immediate medical attention and special treatment needed

None.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

water spray, alcohol resistant foam, fire extinguishing powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Hazardous decomposition products: Section 10.

Hazardous combustion products

nitrogen oxides (NO_x), carbon monoxide (CO), carbon dioxide (CO₂), pyrolysis products, toxic

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes.

Co-ordinate firefighting measures to the fire surroundings.

Do not allow firefighting water to enter drains or water courses.

Collect contaminated firefighting water separately.

Fight fire with normal precautions from a reasonable distance.

Special protective equipment for firefighters

chemical protection suit, self-contained breathing apparatus (EN 133)

SCREENCLEAN FLUID (250 ml)

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

Ventilate affected area.

Wearing of suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water.

Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to clean up a spill

Collect spillage.

Absorbent material (e.g. sand, diatomaceous earth, acid binder, universal binder, sawdust, etc.).

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal.

Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5.

Personal protective equipment: see section 8.

Incompatible materials: see section 10.

Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation.

Keep away from sources of ignition - No smoking.

Measures to protect the environment

Avoid release to the environment.

Advice on general occupational hygiene

Do not eat, drink and smoke in work areas.

Wash hands after use.

Preventive skin protection (barrier creams/ointments) is recommended.

Remove contaminated clothing and protective equipment before entering eating areas.

SCREENCLEAN FLUID (250 ml)

7.2 Conditions for safe storage, including any incompatibilities

Flammability hazards

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Incompatible substances or mixtures

Incompatible materials: see section 10.

Protect against external exposure, such as

heat, frost

Consideration of other advice

Keep away from food, drink and animal feeding stuffs.

Ventilation requirements

Provision of sufficient ventilation.

Packaging compatibilities

Keep only in original container.

7.3 Specific end use(s)

Cleaning agent.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)									
Country	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m ³]	STEL [ppm]	STEL [mg/m ³]	Notation	Source
EU	(2-methoxymethyl-ethoxy)propanol	34590-94-8	IOELV	50	308	-	-	H	2000/39/EC
GB	(2-methoxymethyl-ethoxy)propanol	34590-94-8	WEL	50	308	-	-	-	EH40/2005

Notation

H absorbed through the skin

STEL short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

TWA time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

Relevant DNELs of components of the mixture						
Name of substance	CAS No	Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
(2-methoxymethyl-ethoxy)propanol	34590-94-8	DNEL	308 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
(2-methoxymethyl-ethoxy)propanol	34590-94-8	DNEL	283 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects

SCREENCLEAN FLUID (250 ml)

Relevant DNELs of components of the mixture						
Name of substance	CAS No	Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine	2372-82-9	DNEL	0.789 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine	2372-82-9	DNEL	8.96 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
2-methylisothiazol-3(2H)-one	2682-20-4	DNEL	0.021 mg/m ³	human, inhalatory	worker (industry)	chronic - local effects

Relevant PNECs of components of the mixture				
Name of substance	CAS No	Endpoint	Threshold level	Environmental compartment
(2-methoxymethylethoxy)propanol	34590-94-8	PNEC	19 mg/l	freshwater
(2-methoxymethylethoxy)propanol	34590-94-8	PNEC	1.9 mg/l	marine water
(2-methoxymethylethoxy)propanol	34590-94-8	PNEC	4,168 mg/l	sewage treatment plant (STP)
(2-methoxymethylethoxy)propanol	34590-94-8	PNEC	70.2 mg/kg	freshwater sediment
(2-methoxymethylethoxy)propanol	34590-94-8	PNEC	7.02 mg/kg	marine sediment
(2-methoxymethylethoxy)propanol	34590-94-8	PNEC	2.74 mg/kg	soil
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine	2372-82-9	PNEC	0.001 mg/l	freshwater
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine	2372-82-9	PNEC	0 mg/l	marine water
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine	2372-82-9	PNEC	0.18 mg/l	sewage treatment plant (STP)
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine	2372-82-9	PNEC	3.2 mg/kg	freshwater sediment
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine	2372-82-9	PNEC	0.13 mg/kg	marine sediment
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine	2372-82-9	PNEC	45.34 mg/kg	soil
2-methylisothiazol-3(2H)-one	2682-20-4	PNEC	3.39 µg/l	freshwater
2-methylisothiazol-3(2H)-one	2682-20-4	PNEC	3.39 µg/l	marine water
2-methylisothiazol-3(2H)-one	2682-20-4	PNEC	0.23 mg/l	sewage treatment plant (STP)
2-methylisothiazol-3(2H)-one	2682-20-4	PNEC	0.047 mg/kg	soil

8.2 Exposure controls

Appropriate engineering controls

Use local and general ventilation.

SCREENCLEAN FLUID (250 ml)

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection. (EN 166).

Hand protection

Protective gloves		
Material	Material thickness	Breakthrough times of the glove material
NBR: acrylonitrile-butadiene rubber	≥ 0,11 mm	>10 minutes (permeation: level 1)

Wear suitable gloves.

Chemical protection gloves are suitable, which are tested according to EN 374.

Check leak-tightness/impermeability prior to use.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

(EN 136, EN 140, EN 14387, EN 143, EN 149).

Environmental exposure controls

Use appropriate container to avoid environmental contamination.

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	not determined
Odour	characteristic
Melting point/freezing point	not determined
Boiling point or initial boiling point and boiling range	>100 °C
Flammability	this material is combustible, but will not ignite readily
Lower and upper explosion limit	not determined
Flash point	>100 °C
Auto-ignition temperature	not determined
Decomposition temperature	not relevant
pH (value)	~7 (20 °C)
Kinematic viscosity	not determined
Dynamic viscosity	not determined
Solubility(ies)	
Water solubility	miscible in any proportion

SCREENCLEAN FLUID (250 ml)

Partition coefficient n-octanol/water (log value)	not determined
Vapour pressure	not determined
Density and/or relative density	
Density	~1 g/cm ³ at 20 °C
Relative vapour density	this information is not available
Particle characteristics	not relevant (liquid)

9.2 Other information

Information with regard to physical hazard classes	hazard classes acc. to GHS (physical hazards): not relevant
Other safety characteristics	there is no additional information

SECTION 10: Stability and reactivity

10.1 Reactivity

This material is not reactive under normal ambient conditions.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5 Incompatible materials

acids, bases, oxidisers

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known.

Hazardous combustion products: see section 5.

SCREENCLEAN FLUID (250 ml)

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Classification procedure

If not otherwise specified the classification is based on:
Ingredients of the mixture (additivity formula).

Classification acc. to GHS

Acute toxicity

The classification criteria for this hazard class are not met.

Acute toxicity of components of the mixture

Name of substance	CAS No	Exposure route	Endpoint	Value	Species	Method	Source
(2-methoxymethylethoxy)propanol	34590-94-8	oral	LD0	>5,000 mg/kg	rat	OECD Guideline 401	ECHA
(2-methoxymethylethoxy)propanol	34590-94-8	dermal	LD50	9,510 mg/kg	rabbit, male	OECD Guideline 402	ECHA
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine	2372-82-9	oral	LD50	243.6 mg/kg	rat, female	OECD Guideline 401	ECHA
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine	2372-82-9	dermal	LD0	600 mg/kg	rat	-	-
2-methylisothiazol-3(2H)-one	2682-20-4	oral	LD50	148 mg/kg	rat	-	ECHA
2-methylisothiazol-3(2H)-one	2682-20-4	inhalation: dust/mist	LC50	0.11 mg/l/4h	rat	OECD Guideline 403	ECHA
2-methylisothiazol-3(2H)-one	2682-20-4	dermal	LD50	242 mg/kg	rat	OECD Guideline 402	ECHA

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

SCREENCLEAN FLUID (250 ml)

Carcinogenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Based on available data, the classification criteria are not met.

Specific target organ toxicity - single exposure

Based on available data, the classification criteria are not met.

Specific target organ toxicity - repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of $\geq 0,1\%$.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity (acute)

Based on available data, the classification criteria are not met.

Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Exposure time	Value	Species	Method	Source
(2-methoxy-methylethoxy)propanol	34590-94-8	LC50	96 h	$>1,000 \text{ mg/l}$	guppy (Poecilia reticulata)	OECD Guideline 203	ECHA
(2-methoxy-methylethoxy)propanol	34590-94-8	LC50	48 h	$>1,000 \text{ mg/l}$	Crangon crangon	EPA OPP 72-3	ECHA
(2-methoxy-methylethoxy)propanol	34590-94-8	ErC50	72 h	$>969 \text{ mg/l}$	algae (pseudokirchneriella subcapitata)	EU method C.3	ECHA
(2-methoxy-methylethoxy)propanol	34590-94-8	Ebc50	72 h	$>969 \text{ mg/l}$	algae (pseudokirchneriella subcapitata)	EU method C.3	ECHA
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine	2372-82-9	LC50	96 h	0.431 mg/l	zebra fish (Danio rerio)	OECD Guideline 203	ECHA
2-methylisothiazol-3(2H)-one	2682-20-4	LC50	48 h	0.934 mg/l	daphnia magna	OECD Guideline 202	ECHA
2-methylisothiazol-3(2H)-one	2682-20-4	LC50	96 h	4.77 mg/l	rainbow trout (Oncorhynchus mykiss)	OECD Guideline 203	ECHA

SCREENCLEAN FLUID (250 ml)

Name of substance	CAS No	Endpoint	Exposure time	Value	Species	Method	Source
2-methylisothiazol-3(2H)-one	2682-20-4	EC50	96 h	0.069 mg/l	algae (Sceletonema costatum)	OECD Guideline 201	ECHA
2-methylisothiazol-3(2H)-one	2682-20-4	EC50	48 h	1.6 mg/l	daphnia magna	EPA OPP 72-2	ECHA
2-methylisothiazol-3(2H)-one	2682-20-4	ErC50	96 h	>0.072 mg/l	algae (Sceletonema costatum)	OECD Guideline 201	ECHA
2-methylisothiazol-3(2H)-one	2682-20-4	Ebc50	96 h	0.063 mg/l	algae (pseudokirchneriella subcapitata)	OECD Guideline 201	ECHA

Aquatic toxicity (chronic)

Based on available data, the classification criteria are not met.

Aquatic toxicity (chronic) of components of the mixture

Name of substance	CAS No	Endpoint	Exposure time	Value	Species	Method	Source
(2-methoxy-methylethoxy)propanol	34590-94-8	NOEC	72 h	969 mg/l	algae (pseudokirchneriella subcapitata)	EU method C.3	ECHA
(2-methoxy-methylethoxy)propanol	34590-94-8	growth (Eb-Cx) 10%	18 h	4,168 mg/l	activated sludge (Pseudomonas putida)	-	ECHA
2-methylisothiazol-3(2H)-one	2682-20-4	EC50	21 d	1.4 mg/l	daphnia magna	OECD Guideline 211	ECHA
2-methylisothiazol-3(2H)-one	2682-20-4	EC50	16 h	2.3 mg/l	activated sludge (Pseudomonas putida)	-	ECHA
2-methylisothiazol-3(2H)-one	2682-20-4	LOEC	21 d	0.089 mg/l	daphnia magna	OECD Guideline 211	ECHA
2-methylisothiazol-3(2H)-one	2682-20-4	LOEC	33 d	4.2 mg/l	fathead minnow (Pimephales promelas)	OECD Guideline 210	ECHA
2-methylisothiazol-3(2H)-one	2682-20-4	NOEC	24 h	0.02 mg/l	algae (pseudokirchneriella subcapitata)	OECD Guideline 201	ECHA
2-methylisothiazol-3(2H)-one	2682-20-4	NOEC	21 d	0.044 mg/l	daphnia magna	OECD Guideline 211	ECHA
2-methylisothiazol-3(2H)-one	2682-20-4	NOEC	33 d	2.1 mg/l	fathead minnow (Pimephales promelas)	OECD Guideline 210	ECHA
2-methylisothiazol-3(2H)-one	2682-20-4	growth (Eb-Cx) 10%	16 h	1 mg/l	activated sludge (Pseudomonas putida)	-	ECHA

12.2 Persistence and degradability

SCREENCLEAN FLUID (250 ml)

Biodegradation

The relevant substances of the mixture are readily biodegradable.

Degradability of components of the mixture

Name of substance	CAS No	Process	Degradation rate	Time	Method	Source
(2-methoxy-methylethoxy)propanol	34590-94-8	oxygen depletion	79 %	28 d	OECD Guideline 301 F	ECHA
(2-methoxy-methylethoxy)propanol	34590-94-8	carbon dioxide generation	76 %	28 d	OECD Guideline 301 F	ECHA
(2-methoxy-methylethoxy)propanol	34590-94-8	DOC removal	96 %	28 d	OECD Guideline 301 F	ECHA
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine	2372-82-9	oxygen depletion	68 %	28 d	OECD Guideline 306	ECHA
2-methylisothiazol-3(2H)-one	2682-20-4	carbon dioxide generation	47.6 %	29 d	OECD Guideline 301 B	ECHA
2-methylisothiazol-3(2H)-one	2682-20-4	oxygen depletion	0 %	28 d	OECD Guideline 301 D	ECHA

Persistence

No data available.

12.3 Bioaccumulative potential

Test data are not available for the complete mixture.

Bioaccumulative potential of components of the mixture

Name of substance	CAS No	BCF	Log KOW
(2-methoxymethylethoxy)propanol	34590-94-8	-	0.004 (25 °C)
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine	2372-82-9	3.16	0.34 (20 °C)
2-methylisothiazol-3(2H)-one	2682-20-4	5.75	-0.486 (pH value: 7, 25 °C)

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance in a concentration of $\geq 0,1\%$.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of $\geq 0,1\%$.

SCREENCLEAN FLUID (250 ml)

12.7 Other adverse effects

Data are not available.

Remarks

Wassergefährdungsklasse, WGK (water hazard class): 1

SECTION 13: Disposal considerations

13.1 Waste treatment methods

This material and its container must be disposed of as hazardous waste.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

Completely emptied packages can be recycled.

Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions.

SECTION 14: Transport information

14.1	UN number	not assigned
14.2	UN proper shipping name	-
14.3	Transport hazard class(es)	-
14.4	Packing group	-
14.5	Environmental hazards	-
14.6	Special precautions for user	-
14.7	Maritime transport in bulk according to IMO instruments	-

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant provisions of the European Union (EU)

Seveso Directive

Not assigned.

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

None of the ingredients are listed.

Regulation on the marketing and use of explosives precursors

None of the ingredients are listed.

SCREENCLEAN FLUID (250 ml)

Regulation on drug precursors

None of the ingredients are listed.

Regulation on substances that deplete the ozone layer (ODS)

None of the ingredients are listed.

Regulation concerning the export and import of hazardous chemicals (PIC)

None of the ingredients are listed.

Regulation on persistent organic pollutants (POP)

None of the ingredients are listed.

National regulations (GB)

List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list

None of the ingredients are listed

Restrictions according to GB REACH, Annex 17

Dangerous substances with restrictions (GB REACH, Annex 17)			
Name of substance	Name acc. to inventory	CAS No	Conditions of restriction
SCREENCLEAN FLUID (250 ml)	this product meets the criteria for classification in accordance with Regulation No 1272/2008/EC	-	R3

Legend

R3

1. Shall not be used in:
 - ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,
 - tricks and jokes,
 - games for one or more participants, or any article intended to be used as such, even with ornamental aspects,
2. Articles not complying with paragraph 1 shall not be placed on the market.
3. Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they:
 - can be used as fuel in decorative oil lamps for supply to the general public, and,
 - present an aspiration hazard and are labelled with R65 or H304,
4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the British Standard Specification on Decorative oil lamps (BS EN 14059) adopted by the British Standards Institute.
5. Without prejudice to the implementation of other legislation relating to the classification, packaging and labelling of dangerous substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met:
 - (a) lamp oils, labelled with R65 or H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: 'Keep lamps filled with this liquid out of the reach of children'; and, by 1 December 2010 'Just a sip of lamp oil — or even sucking the wick of lamps — may lead to life-threatening lung damage';
 - (b) grill lighter fluids, labelled with R65 or H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter may lead to life-threatening lung damage';
 - (c) lamp oils and grill lighters, labelled with R65 or H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.
7. Natural or legal persons placing on the market for the first time lamp oils and grill lighter fluids, labelled with R65 or H304, shall by 1 December 2011, and annually thereafter, provide data on alternatives to lamp oils and grill lighter fluids labelled R65 or H304 to the Agency.

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SCREENCLEAN FLUID (250 ml)

SECTION 16: Other information

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
2000/39/EC	Commission Directive establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC
Acute Tox.	Acute toxicity
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
Aquatic Acute	Hazardous to the aquatic environment - acute hazard
Aquatic Chronic	Hazardous to the aquatic environment - chronic hazard
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EbC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-licence/)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
GB CLP	The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/720 (as amended)
GB REACH	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
IMDG	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
IOELV	Indicative occupational exposure limit value

SCREENCLEAN FLUID (250 ml)

Abbr.	Descriptions of used abbreviations
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
LOEC	Lowest Observed Effect Concentration
log KOW	n-Octanol/water
M-factor	Means a multiplying factor. It is applied to the concentration of a substance classified as hazardous to the aquatic environment acute category 1 or chronic category 1, and is used to derive by the summation method the classification of a mixture in which the substance is present
NLP	No-Longer Polymer
NOEC	No Observed Effect Concentration
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
Skin Sens.	Skin sensitisation
STEL	Short-term exposure limit
STOT RE	Specific target organ toxicity - repeated exposure
TWA	Time-weighted average
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

Key literature references and sources for data

The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended).

The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/720 (as amended).

GB mandatory classification and labelling.

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR).

Regulations concerning the International Carriage of Dangerous Goods by Rail (RID).

International Maritime Dangerous Goods Code (IMDG).

Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties.

Health hazards.

Environmental hazards.

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

SCREENCLEAN FLUID (250 ml)

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Responsible for the safety data sheet

C.S.B. GmbH
Dujardinstr. 5
47829 Krefeld, Germany

Telephone: +49 (0) 2151 - 652086 - 0
Telefax: +49 (0) 2151 - 652086 - 9
e-Mail: info@csb-compliance.com
Website: www.csb-compliance.com

Disclaimer

This information is based upon the present state of our knowledge.
This SDS has been compiled and is solely intended for this product.