


NOMAPACK® U



NOMAPACK® U are effective edge protection profiles for each type of corner or curve. They are available in different dimensions and densities in order to protect your products efficiently. We can also develop profiles according to customer's specifications.

- Edge protection from 2 to 160 mm
- Easy fitting « Multishape » version
- Patented design

Product features:

- PE-LD foam
- Density from 25 kg/m³ to 65 kg/m³
- Supplied as lengths or coils
- Water absorption < 1 – vol.% after 40 days
- Recyclable
- The tolerance of the length of the coils is up to a maximum of 2%

Applications:

- Tables and worktops
- Shelves, storage units and other furniture parts
- Mirrors, glass plates, ceramic
- Works of art, framed pictures, etc.





NMC sa
Gert-Noël-Strasse – B-4731 Eynatten
☎ +32 87 85 85 00 – 📠 +32 87 85 85 11
info@nmc.eu

www.nmc.eu



NOMAPACK® U

NOMAPACK® U Tulip




COLOUR	Standard blue
LENGTH	2.000 mm ± 30 mm
PACKAGING	Lengths in boxes or on coils
BOXES ON PALLET	4
COILS ON PALLET	4
FEATURES	<ul style="list-style-type: none"> ■ Protected design ■ The « original », recognized and reliable profile

Type	A	B	C	D	Packaging unit	Item Code
	mm	mm	mm	mm	m	
5-15	16 ±2	7 ±1	3 ±3	29 ±2	560	3002243
15-25	24 ±2	8 ±1	10 ±3	35 ±3	320	3002250
25-35	35 ±2	10 ±1	20 ±4	40 ±3	240	3002257
35-45	41 ±2	12 ±2	25 ±5	46 ±3	180	3002261
45-60	57 ±2	14 ±2	30 ±5	60 ±2	100	3002267
60-80	71 ±2	15 ±2	45 ±5	66 ±2	80	3002279
80-100	92 ±3	18 ±2	60 ±10	68 ±3	72	3002288
100-120	120 ±4	21 ±2	98 ±10	80 ±3	44	3002289



m³/ = 0,50
 2040 * 590 * 390 mm





m³/Coil = 0,70
 Coil 1200 * 460 mm

5-15	16 ±2	7 ±1	3 ±3	29 ±2	500*	3002241
15-25	24 ±2	8 ±1	10 ±3	35 ±3	220**	3002248

NOMAPACK® U

NOMAPACK® U Tulip Stretch



COLOUR	Standard blue
LENGTH	2.000mm ± 30mm
PACKAGING	Lengths in boxes
BOXES ON PALLET	4
FEATURES	<ul style="list-style-type: none"> ■ Protected design ■ The « original », recognized and reliable profile ■ With a patented system to reach a width of 160 mm




m³ / = 0,50

2040 * 590 * 390mm

Type	A	B	C	D	Packaging unit	Item Code
	mm	mm	mm	mm	m	
100-120	120-160	21 ±2	100-140	80 ±3	44	3002290

NOMAPACK® U Multishape



COLOUR	Standard blue
PACKAGING	On coils
COILS ON PALLET	4
FEATURES	<ul style="list-style-type: none"> ■ High flexibility due to the V-cut ■ Adaptable to all type of radius and angles ■ Supplied as endless coil for pieces cut to your own requirements



m³/Coil = 0,70

Coil 1200 * 460mm



Type	A	B	C	D	Packaging unit	Item Code
	mm	mm	mm	mm	m	
5-15 MS*	16 ±2	7 ±1	3 ±3	29 ±2	480	3002242
15-25 MS	24 ±2	8 ±1	10 ±3	35 ±3	250	3002249
25-35 MS	35 ±2	10 ±1	20 ±4	40 ±3	150	3002255
35-45 MS	41 ±2	12 ±2	25 ±5	46 ±3	140	3002260

* E = 150 ±10 mm for U 5-15

E = 170 ±10 mm for the other U Multishape profiles

NOMAPACK® U

NOMAPACK® U Tulip Corner



COLOUR	Standard blue
PACKAGING	Pieces in boxes
BOXES ON PALLET	8 to NOMAPACK® U Tulip Corner 35-45 3 from NOMAPACK® U Tulip Corner 45-60
FEATURES	<ul style="list-style-type: none"> ■ Corners optimally protected ■ Easy to fix ■ Available in various cushioning thicknesses



Type	A	B	C	E = F	Packaging unit	Item Code
	mm	mm	mm	mm	pcs	
5-15	16 ±2	7 ±1	3 ±3	100 ±10	900	3002163
15-25	24 ±2	8 ±1	10 ±3	100 ±10	600	3002166
25-35	35 ±2	10 ±1	20 ±4	100 ±10	450	3002168
35-45	41 ±2	12 ±2	25 ±5	100 ±10	300	3002170
45-60	57 ±2	14 ±2	30 ±5	100 ±10	500	3002173
60-80	71 ±2	15 ±2	45 ±5	100 ±10	400	3002175
80-100	92 ±3	18 ±2	60 ±10	100 ±10	280	3002178



m³/ =0,27
 785 * 585 * 585mm

m³/ =0,66
 1190 * 790 * 700mm

NOMAPACK® U Tulip Stretch Corner



COLOUR	Standard blue
PACKAGING	Pieces in boxes
BOXES ON PALLET	3
FEATURES	<ul style="list-style-type: none"> ■ Corners optimally protected ■ Easy to fix ■ With a patented system to reach a width of 160 mm


Type	A	B	C	E = F	Packaging unit	Item Code
	mm	mm	mm	mm	pcs	
100-120 Stretch	120-160	21 ±2	100-140	200 ±10	120	3002179



m³/ =0,66
 1190 * 790 * 700mm

NOMAPACK® U

NOMAPACK® U Tulip Long Legs



COLOUR	Standard blue
LENGTH	2.000mm ± 30mm
PACKAGING	Lengths in boxes
BOXES ON PALLET	4
FEATURES	■ With longer legs to protect sharp-ended edges



Type	A	B	C	D	Packaging unit	Item Code
	mm	mm	mm	mm	m	
0-30/70	29 ±2	14 ±1	0	94 ±6	100	3002262
30-40/70	38 ±2	14 ±1	26 ±10	84 ±5	100	3002266



m³ /  = 0,50

 2040 * 590 * 390mm

NOMAPACK® U Tulip 45-70



COLOUR	Standard blue
LENGTH	2.000mm ± 30mm
PACKAGING	Lengths in boxes
BOXES ON PALLET	4
FEATURES	■ With longer legs to protect sharp-ended edges

Type	A	B	C	D	Packaging unit	Item Code
	mm	mm	mm	mm	m	
45-70	70 ±2	18 ±2	30 ±10	131 ±5	44	3002278





m³ /  = 0,50

 2040 * 590 * 390mm

NOMAPACK® U

NOMAPACK® U Classic



COLOUR	Standard blue
LENGTH	2.000 mm ±30 mm
PACKAGING	Lengths in boxes
BOXES ON PALLET	4
FEATURES	■ The "classic" profile



Type	A	B	C	D	Packaging unit	Item Code
	mm	mm	mm	mm	m	
10-20	17 ±2	10,5 ±1	5 ±3	± 30	420	3002246
20-35	31 ±2	12 ±1	12 ±4	± 45	210	3002259
30-45	41 ±2	15 ±1	20 ±5	± 48	160	3002275
45-65	60 ±2	15 ±1	30 ±8	± 57	92	3002277
60-85	80 ±3	15 ±1	40 ±10	± 58	90	3002281
30-45/51*	40 ±2	15 ±1,5	15 ±5	51 ±2	130	3002276



m³ / = 0,50
 2040 * 590 * 390mm

* Colour: yellow

NOMAPACK® U 0-3



COLOUR	Grey
PACKAGING	On coils
COILS ON PALLET	4
FEATURES	<ul style="list-style-type: none"> ■ Special edge-protection for narrow products from 0 to 3 mm ■ Prevents bends against sharp edges ■ Supplied as endless coil for pieces cut to your own requirements



Type	A	B	D	Packaging unit	Item Code
	mm	mm	mm	m	
0-3	20 ±2	11 ±1	32 ±2	590	3002253



m³/Coill = 0,70
 Coil 1200 * 460mm

NOMAPACK® U

NOMAPACK® U 0-6



COLOUR	Grey
LENGTH	2.000mm ± 30 mm
PACKAGING	Lengths in boxes or on coils
BOXES ON PALLET	4
COILS ON PALLET	4
FEATURES	<ul style="list-style-type: none"> ■ Thanks to high cushioning thickness, this is the ideal protection packaging for narrow, sensitive products ■ Ideal protection for sensitive goods



m³/ = 0,50
 2040 * 590 * 390mm






m³/Coil = 0,70
 Coil 1200 * 460mm

Type	A	B	C	D	Packaging unit	Item Code
	mm	mm	mm	mm	m	
0-6/2m	28,5 ±1	14,5 ±1	13 ±1	37 ±1	320	3002269


0-6	28,5 ±1	14,5 ±1	13 ±1	37 ±1	320	3002270
-----	---------	---------	-------	-------	-----	---------

NOMAPACK® U 6-12



COLOUR	Standard blue
PACKAGING	On coils
COILS ON PALLET	4
FEATURES	<ul style="list-style-type: none"> ■ Protection packaging for products with a thickness from 6 to 12 mm ■ Especially suitable for products with bead or seals ■ Also available with an inside reinforcement in PE ■ Supplied as endless coil for pieces cut to your own requirements

Type	A	B	C	D	Packaging unit	Item Code
	mm	mm	mm	mm	m	
6-12	33 ±2	15 ±1	12 ±1	40 ±2	240	3002271
6-12 E-P*	33 ±2	15 ±1	12 ±1	40 ±2	240	3002272
6-12 CBC**	33 ±2	15 ±1	12 ±1	40 ±2	240	3002273




m³/Coil = 0,70
 Coil 1200 * 460mm

* E-P = Edge-Pad = V-Cut and perforations all 160 mm (± 1.500 pieces/coil)


**CBC= with inside reinforcement (coextrusion)

NOMAPACK® U

NOMAPACK® U 8-12





COLOUR	Standard blue
PACKAGING	On coils
COILS ON PALLET	4
FEATURES	<ul style="list-style-type: none"> ■ Small profile with longer legs ■ Ideal packaging for "design" edges ■ Supplied as endless coil for pieces cut to your own requirements



m³/Coil = 0,70
Coil 1200 * 460mm

Type	A	B	C	Packaging unit	Item Code
	mm	mm	mm	m	
8-12	11,5 ±1	7 ±1	0 +3	550	3002244

NOMAPACK® U 12-18



COLOUR	Standard blue
LENGTH	2.000 mm ± 30mm
PACKAGING	Lengths in boxes
BOXES ON PALLET	4
FEATURES	<ul style="list-style-type: none"> ■ Protection packaging for products with a thickness from 12 to 18 mm ■ Sensitive edges optimally protected





m³/Box = 0,50
Box 2040 * 590 * 390mm

Type	A	B	C	D	Packaging unit	Item Code
	mm	mm	mm	mm	m	
12-18	45 ±2	20 ±1	21 ±2	56 ±2	140	3002283

NOMAPACK® U

NOMAPACK® U Extra Padding



COLOUR	Standard blue
LENGTH	2.000mm ±30mm
PACKAGING	Lengths in boxes
BOXES ON PALLET	4
FEATURES	<ul style="list-style-type: none"> ■ Optimal cushioning protection for heavy goods ■ Perfect to protect single or stacked goods

Type	A	B	C	D	Packaging unit	Item Code
	mm	mm	mm	mm	m	
15-25/80	20 ±1	30 ±2	7 ±5	83 ±3	90	3002294
30-38*	32 ±2	19 ±1,5	20 ±6	60 ±2	140	3002287
30-45/55	41 ±3	25 ±2	22 ±5	73 ±6	80	3002293






m³/ =0,50

2040 * 590 * 390mm

* Colour: grey

NOMAPACK® U HD



COLOUR	Standard blue
LENGTH	2.000mm ± 30 mm
PACKAGING	Lengths in boxes
BOXES ON PALLET	4
FEATURES	<ul style="list-style-type: none"> ■ Ideal for heavy objects requiring higher density

Type	A	B	C	Packaging unit	Item Code
	mm	mm	mm	m	
20-30	31 ±3	18 ±1	28 ±3	180	3002282
35-50	45 ±2	18 ±1	24 ±5	140	3002286





m³/ =0,50

2040 * 590 * 390mm

NOMAPACK® U

NOMAPACK® U FEP



COLOUR	Standard blue
LENGTH	2.000 mm ± 30 mm
PACKAGING	Lengths in boxes
BOXES ON PALLET	4
FEATURES	■ Multiple applications thanks to its inside diameter



$m^3 / \text{box} = 0,50$
 2040 * 590 * 390mm

Type	A	B	C	Packaging unit	Item Code
	mm	mm	mm	m	
FEP	65 ±5	9 ±1	5 ±5	120	3002245

NMC s.a. reserves the right to change or modify any of the technical data or size range of its products without prior notice. Slight changes and variations in colour, shape, design, dimension and weight are not seen as contract breach. The technical data contained in this brochure has been obtained under specific test conditions and the correct application of our products is the responsibility of the user. For questions about technical details please contact your sales representatives. Partial impression or reprint is only allowed with our explicit acceptance.

