

Declaration of Compliance

Date Issued: October 15th, 2026

Issued By: Oy Mini-Maid Ab
Fabriksvägen 4
68700 Terjärv, FINLAND

Articles: 697442, Tallerken pap lamineret 23cm 100st.

Materials: Articles are made of virgin fibre paperboard covered with a lacquer coating.

Articles comply with below European Regulations:

- Regulation (EC) No 1935/2004 as subsequently amended and supplemented
- Regulation (EC) No 2023/2006 as subsequently amended and supplemented
- Regulation (EC) No 10/2011 as subsequently amended and supplemented

and following national specific measures:

- D.M. 21 March 1973 as subsequently amended and supplemented
- Décret n°2007-766 du 10 mai 2007 portant application du code de la consommation en ce qui concerne les matériaux et les objets destinés à entrer en contact avec les denrées alimentaires, as subsequently amended and supplemented
- Fiche MCDA n°4 (V02 – 01/01/2019) Aptitude au contact alimentaire des matériaux organiques à base de fibres végétales destinés à entrer en contact avec des denrées alimentaires
- BfR XIV. Plastic dispersions,
- BfR XXV. Hardparaffins, microcrystalline waxes and mixtures thereof with waxes, resins and plastics
- BfR XXXVI. Paper and paperboard in contact with foodstuffs

and additional Regulations and Guidelines:

- Regulation (EU) 2025/40 regarding per- and polyfluorinated alkyl substances (PFAS). Total fluorine has been tested to be below the 50 mg/kg limit set in article 5(5)(c).
- Regulation (EU) 2025/40 regarding heavy metals lead, mercury, cadmium and chromium (VI). Any traces of these heavy metals present in the product do not exceed 100 mg/kg as regulated in article 5(4).

Conditions of use:

Articles are suitable for contact with dry and non-fatty foods as well as moist and fatty foods up to 90°C at the moment of filling, after which the food cools down. Articles are not suitable for contact with acidic foods (< 4,5 pH). Articles are not intended for use in microwave oven or conventional oven.

Compliance with overall migration limits:

Simulant	Contact time	Temperature (°C)	Result (mg/dm ²)
10% Ethanol	2 h	70°C	< 10
95% Ethanol	2 h	60°C	< 10
Iso-octane	½ h	40°C	< 10

Area / Volume Ratio: 1 cm² / cm³

The articles contain the following substances with specific restrictions:

Substance	CAS Number/RIF	SML
Formaldehyde	50-00-0	15 mg/kg expressed as formaldehyde
Ethylene oxide	75-21-8	ND 1 mg/kg in final product
Mono and dialkyl(C1-C4)ethers of diethyleneglycol	-	30 mg/kg (Warenwet)
2-Ethylhexyl ester	103-11-7	0,05 mg/kg
Di(ethylene glycol)ethyl ether	111-90-0	5 mg/kg (Swiss)
2-methyl-4-isothiazol-3-one	2682-20-4	0,5 mg/kg
Polyethyleneglycol (EO=1-50) ethers of linear and branched primary (C8-C22) alcohols	77708	1,8 mg/kg
N-alkyl(C10-C13) benzenesulfonic acid	33801	30 mg/kg
Acrylic acid, expressed as acrylic acid	79-10-7	SML(T) group 22 SML(T)=6mg/kg expressed as acrylic acid
1,2-benzisothiazol-3-(2H)-one	2634-33-5	0,5 mg/kg
Polyethylene waxes, oxidized	68441-17-8	60 mg/kg
Alfa methylstyrene	98-83-9	0,05 mg/kg
zinc oxide	96240	SML(T)= 5 mg/kg expressed as Zn

Dual use substances:

Based on the information from our paperboard supplier the articles may contain following substances with a quantitative restriction set in Regulation (EC) No 1333/2008 or Regulation (EC) No 1334/2008 with subsequent amendments: Calcium carbonate (E170)



Storage:

Recommended storage conditions are 45-55% relative humidity and 19-23°C and not in direct sunshine. We recommend articles to be used within 36 months from the date of production.

A handwritten signature in blue ink that reads 'Tom Hästbacka'.

Tom Hästbacka
Technical Adviser