

Declaration of Compliance

Products:

30CM Alu-foil refil neutral, 698946

45CM Alu-foil refil neutral, 698968

Alu-foil 2-pak Folia 2x20M, 698945

The above mentioned products are aluminium foil which are used for food packaging. The aluminium foil is analysed for its compliance with the demands on food contact materials.

Therefore we, ITS bv, declare that the aluminium foil. (96% Alloy 8006 or comparable) is in compliance with:

- Framework Regulation 1935/2004/EC on materials and articles intended to come into contact with food.
- BS EN 602:2004 Aluminium and aluminium alloys. Wrought products. Chemical composition of semi-finished products for the fabrication of articles for use in contact with foodstuff.
- French decree 27th August 1987: Aluminium and alloys
- Warenwetregeling Verpakkingen en gebruiksartikelen. Hoofdstuk III
- EC 1907/2006 and amendments. Reach
- Directive 94/62/EC on Packaging and packaging waste

The aluminium foil rolls are produced under Quality and Hygiene certified Management System:

- Quality: **ISO 9001** by LRQA
- Environment: **ISO 14001** by LRQA
- Hygiene: **BRC Packaging** Hygiene Standards by LRQA

We hereby declare that the material or the article is suitable for direct contact with dry, moist and fatty foodstuffs:

Aqueous foodstuffs: Yes, 10 days at 40°C Ethanol
Foodstuffs very rich in fatty content: Yes, 10 days at 40°C Olive oil

The specific migration is determined. The sample was brought in contact with several simulants, the worst case for each simulant was selected. The specific migrations were determined following the CEN method EN 13130-1:2004 (26 may 2004) as close as possible.

 <div style="text-align: center;"> Documentatie DOC aluminiumfolie </div>	Proceseigenaar	SHEQ Manager
	Eigenaar	Harmen Bremer
	Nummer	
	Versie	26 (Actueel)
	Opgesteld door	Harmen Bremer
	Vervaldatum	20 apr. 2027

The material is suited for direct use with foodstuffs using the following temperature-time lapse.

>-22°C	Unlimited time in minutes, hours or days
< 300°C	Unlimited time in minutes, hours or days

The contact between the aluminium foil and foods which are very acidic or very salty should be avoided, since they have a detrimental effect on the aluminium layer. It should be stored in a dry place with a constant temperature.

The product has been manufactured under G.M.P Regulation (EC) N°2023/2006.

We have implemented a traceability system as requested from Art. 17 Regulation (EC) N°1935/2004 via the number on the box/number on core in conjunction with the date of production.

Labeling

Rules on labeling:

This product is labeled "for food contact".

or

This product bears the glass-fork symbol as illustrated below:



This certificate has a validity of 2 years after the date of its issue provided no new regulation comes in force and no modification of the product likely to modify the specifications is made during that period.

Apeldoorn, 11-06-2025



ITS
Nagelpoelweg 58
7333 NZ Apeldoorn
The Netherlands

H. Bremer

SHEQ Manager



Documentatie
DOC aluminiumfolie

Proceseigenaar	SHEQ Manager
Eigenaar	Harmen Bremer
Nummer	
Versie	26 (Actueel)
Opgesteld door	Harmen Bremer
Vervaldatum	20 apr. 2027