

# Tork Premium Soft Toiletpapir T4



# **Fordel**

- •Konventionelle toiletruller i høj kvalitet
- •Blød og absorberende
- •Visuelt tiltalende med høj lysstyrke







# Produktspecifikation

Artikel	System	Rullelængde	Rullediamete r	Antal ark	Arklængde	Indvendig kernediamet er	Lag	Prægning	Farve
110316	T4 - Traditionelt toiletsystem	29.5 m	11.7 cm	250	11.8 cm	4.2 cm	3	Ja	Hvid

# Forsendelsesdata

## Forbrugerenhed

EAN	7310791114828		
Stk.	8		
Materiale	Plastic		
Højde	100 mm		
Bredde	225 mm		
Længde	430 mm		
Volumen	9.7 dm3		
Nettovægt	1075 g		
Bruttovægt	1127 g		

# Transportenhed

EAN	7310791114811
Stk.	72
Forbrugerenhede r	9
Materiale	Plastic
Højde	300 mm
Bredde	427 mm
Længde	676 mm
Volumen	86.6 dm3
Nettovægt	9.68 kg
Bruttovægt	10.20 kg

### Palle

EAN	7322540006254
Stk.	1296
Forbrugerenhede r	162
Højde	1950 mm
Bredde	828 mm
Længde	1200 mm
Volumen	1.6 m3
Nettovægt	174.22 kg
Bruttovægt	183.64 kg



# Tork Premium Soft Toiletpapir T4

# Miljø

#### Content

The fibre composition in the product is virgin fibres

#### Material

Virgin fibre

Virgin pulp fibres are produced out of softwood or hardwood. The process is either sulphite or sulphate delignification, meaning that e.g. lignins and resins are removed from cellulosic material.

### Bleaching of fibres

Bleaching is a cleaning process of the fibres and the aim is to achieve a bright pulp, but also to get a certain purity of the fibre in order to achieve the demands for hygiene products and in some cases to meet the requirements for food safety.

There are different methods used today for bleaching ECF (elementary chlorine free( where chlorine dioxide is used, and TCF (totally chlorine free) where ozone, oxygen and hydrogen peroxide is used.

#### Chemicals

The chemicals used in the process as well as the functional chemicals are assessed from an environmental, occupational health and safety and product safety point of view.

The used functional chemicals are:

Dry strength agent

Dye

Fixing agents

Fluorescent whitening agent

Glue

Softeners

The process chemicals are:

Antipitch

Protection agent

Yankee coating

Defoamer

Dispersing agents and surfactants

pH and charge control

Retention aids
Broke treatment chemicals
Drainage aid

Packaging

Fulfillment of Packaging and Packaging Waste Directive (94/62/EC): Yes

Environmental label = Ecolabel. This product is approved for Nordic ecolabel.

Date of issue 2010-08-17

Revision date

SCA Hygiene Products AB, Bäckstensgatan, 405 03 Göteborg.

### **Production**

This product is produced in Mannheim mill, DE, certified according to ISO 9001, ISO 14001 and EMAS.

### **Destruction**

This product is suitable to be taken care of in the normal sewage system of the community.